


SYM	REVISION	BY	DATE	ECN
A	ENGINEERING RELEASE	RAF	3/4/93	23726
B	REVISED	AGJ	5-26-93	22833
C	(1A)ADDED DISTRIBUTION CODE C	CMR	8-19-98	31690
D	(4A)NOTE 2 WAS MOUNTING TYPE: C	AGJ	5-13-02	41044
E	REVISED	VBH	6-23-09	M71199B
F	(1D)REVISED AS PER STACK-UP (2)DRAWING UPDATED AS PER ASME Y14.5-2009 STANDARD	JVD	04-10-15	M96311



NOTE

1 ROTATION:
STANDARD: WHEN FACING SHAFT END OF MOTOR, SHAFT TO ROTATE;
CLOCKWISE WHEN PORT "A" IS PRESSURIZED
COUNTERCLOCKWISE WHEN PORT "B" IS PRESSURIZED

REVERSE: WHEN FACING SHAFT END OF MOTOR, SHAFT TO ROTATE;
CLOCKWISE WHEN PORT "B" IS PRESSURIZED
COUNTERCLOCKWISE WHEN PORT "A" IS PRESSURIZED


2 MOUNTING TYPE: AC
STANDARD, 2 BOLT: Ø 82.6 [3.25] PILOT
Ø 13.59 [0.535] HOLES ON Ø 106.4 [4.19]
BOLT CIRCLE "SAE A"

REVIEWED FOR CLASSIFICATION PER ESP-042

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES		DRAWING BASED ON ASME Y14.5-2009	
MILLIMETERS (INCHES)		EATON CORPORATION - CONFIDENTIAL AND PROPRIETARY NOTICE TO PURCHASER RECEIVING THIS DRAWING: THIS DRAWING IS THE PROPERTY OF EATON CORPORATION AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF EATON CORPORATION. ALL RIGHTS ARE RESERVED.	
TOLERANCES		MATERIAL/HEAT TREAT	
X ± ---		---	
XX ± REF		---	
XXX ± ONLY		---	
UNSPECIFIED RADIUS ARE:		TITLE	
---		2000 SERIES MOTOR INSTALLATION	
UNSPECIFIED DRAFT ANGLES ARE:		NUMBER	
---		A-665-001	
D SIZE		SCALE 1/1	
DO NOT SCALE		SHEET 1 OF 1	




REV	DESCRIPTION	BY	DATE	ECN
A	ENGINEERING RELEASE	AGJ	5-26-93	22833
B	ADDED DISTRIBUTION CODE C	CMR	8-19-98	31690
C	NOTE 1 WAS MOUNTING TYPE: OPTION C	AGJ	5-13-02	41044
D	52.1/49.7 [2.05/1.96] WAS 52.4/49.7 [2.06/1.96]	AGJ	5-17-04	47918
E	NOTE 2 WAS OUTPUT SHAFT: OPTION 01 & 22	PM	4-4-06	54522



C G K S

NOTE

- 1 MOUNTING TYPE: OPTION AC, BA & BE
- 2 OUTPUT SHAFT: OPTION 01 & 15

UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES ☐ MILLIMETERS [INCHES] ☒	DRAWING BASED ON ANSI Y14.5M-1982		
	NOTICE TO PERSONS RECEIVING THIS DRAWING AND / OR TECHNICAL INFORMATION Eaton Corporation claims proprietary rights in the information disclosed hereon. This document is issued in confidence and is not to be reproduced or used to manufacture anything shown hereon without the written permission of the Eaton Corporation.		EAT•N Eaton Corporation Hydraulics Division 15151 Highway 5 Eden Prairie, Mn. 55344
TOLERANCES			
.X ±----			
.XX ±REF			
.XXX ±ONLY			
∠ ±----			
UNSPECIFIED RADII ARE -----	DRAWN BY/DATE A. JOHNSON 3-15-93	MATERIAL/HEAT TREAT	
	CHECKED BY/DATE SDR 3-24-93		
UNSPECIFIED DRAFT ANGLES ARE -----	ENGRG BY/DATE SZ 3-28-93	TITLE 2000 SERIES MOTOR SHAFT INSTALLATION	
	METALLURGY BY/DATE -----		
UNSPECIFIED DRAFT ANGLES ARE -----		MICROINCHES ☐ MICROMETERS [MICROINCHES] ☐	NUMBER A-683-001
		THIRD ANGLE PROJECTION	
DRAWING FORMAT CADD ☒ MANUAL ☐	DO NOT SCALE	ARITHMETICAL AVERAGE ☒	
		SCALE 1/1	SHEET 1 OF 1